

# Modules mechanical compatibility list for Easy Roof V8.3

Compatibility hereunder have been checked using information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

Attention for module's high (thickness) lower than 35mm please use IRFTS flange's screw referenced V009V02

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting, we recommend to install the module with "junction box " in Rake/Slope low position.

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Stength bar
833 PV Module	8.220-8.245P (220/225/230/235/240/245P)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Abakus solar AG	ABA M6-60 BLACK (240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1628	998	26,5	26,5	40	
Abakus solar AG	ANT P6-60-235 (230/235/240/245)	NON	OK	NON	OK	NON	NON	1658	986	26,5	26,5	40	
Abakus solar AG	ABA P6-60 (230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1628	998	26,5	26,5	40	
Abakus solar AG	PEAK ON P230-60R	NON	NON	NON	NON	NON	NON	1630	999	45	45	40	
Alden	ALD-240M	OK	OK	OK	OK	NON	NON	1650	992	35	35	50	
Aleo solar	s_16.175 180_185_190_195	NON	NON	NON	NON	NON	NON	1660	830	9	30	50	
Aleo solar	s_17.195 200	NON	NON	NON	NON	NON	NON	1660	830	9	30	50	
Aleo solar	s_77.180 185_190_195_200	NON	NON	NON	NON	NON	NON	1660	830	9	30	50	
Aleo solar	(new) s_19 gen2 (240/245/250/255)	NON	OK	NON	OK	NON	NON	1660	990	30	30	50	
Aleo solar **	s_18.220 225_230_235_240	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Aleo solar **	s_19.225 230_235_240_245	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Aleo solar **	s_79.225 230_235_240_245	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
alfasolar	pyramid 60 mono :250,255,260	NON	OK	NON	OK	NON	NON	1623	986	29	29	35	
alfasolar	pyramid 60 :235/240/245/250/255/260	NON	OK	NON	OK	NON	NON	1623	986	29	29	35	
alfasolar	pyramid 80 : 296,301,306,311,316,321,326	NON	NON	NON	NON	NON	NON	1623	1303	29	29	35	
alfasolar	M265 (260,255)	NON	OK	NON	OK	NON	NON	1623	986	29	29	35	
alfasolar	230+	NON	OK	NON	OK	NON	NON	1623	986	29	29	35	
Alliantz	AI 245-250	NON	OK	NON	OK	NON	NON	1650	990	35	35	50	
Amerisolar	AS-6M30 (225/230/235/240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1652	1000	35	35	40	
Amerisolar	AS-6M30 black (225/230/235/240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1652	1000	35	35	40	
Anelion	HR-XXXP-18/Bp (240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1636	992	35	35	40	
Anelion	HR-XXXP-18/Bp (240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1636	992	35	35	45	
Anelion	HR-XXX-18/Cb (245/250/255/260/265)	OK	OK	OK	OK	NON	NON	1636	992	35	35	40	
Anelion	HR-XXX-18/Cb (245/250/255/260/265)	OK	OK	OK	OK	NON	NON	1636	992	35	35	45	
Antaris Solar	AS M6-SERIE (240/245/250)	OK	OK	OK	OK	NON	NON	1636	992	35	35	50	
Aprisun	PV_TA_230_P (235, 240)	OK	OK	OK	OK	NON	NON	1650	992	35	35	50	
Asm Basic	ASM-mono x-6 / 230/240/250	NON	NON	NON	NON	NON	NON	1650	1010	22	22	42	
Asola	240 245 et 250W/60-156m/2	NON	OK	NON	OK	NON	NON	1660	990	27	27	50	
Astroenergy	CHSM6610P 220,225,230,235,240,245,250	OK	NON	OK	NON	NON	NON	1652	994	32	32	45	
Astroenergy	CHSM6610M 220,225,230,235,240,245,250,255,260	OK	NON	OK	NON	NON	NON	1652	994	32	32	45	
A-Sunergy	ASUN245-P	NON	OK	NON	OK	NON	NON	1650	990	32	32	50	
Atersa	A-214P et A-2220	NON	NON	NON	NON	NON	NON	1645	990	46	46	50	
Atersa	A-214P et A-222P, A-230P	NON	OK	NON	OK	NON	NON	1645	990	38	38	50	
Aurasol	Auramine-60f (245/250/255/260)	OK	NON	OK	NON	NON	NON	1652	1000	37	37	42	
Auversun	AV250M	OK	NON	OK	NON	NON	NON	1651	994	29,5	29,5	50	
Auversun	AV240P60NB	OK	NON	OK	NON	NON	NON	1652	996	29,5	29,5	50	
Auversun	AV250C60NN	OK	NON	OK	NON	NON	NON	1652	996	29,5	29,5	50	
Auversun	AV250M60NN	OK	NON	OK	NON	NON	NON	1652	996	29,5	29,5	50	
Auversun	AV265M60NB	OK	NON	OK	NON	NON	NON	1652	996	29,5	29,5	50	
Avim **	a_18 plus 235/240/245w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
Axitec	AC-245M 240 245 250/156-60S 3BB	OK	NON	OK	NON	NON	NON	1663	997	27	27	38	
Axitec	AC-224P 230-236-242P/156-60S	OK	NON	OK	NON	NON	NON	1663	997	27	27	38	
Axitec	AXIpremium AC-xxxM/156-60S (250/255/260/265)	OK	OK	OK	OK	NON	NON	1640	992	27	27	40	
Azur Solar	Azur P230-3	OK	OK	OK	OK	NON	NON	1655	992	35	35	45	
Azur Solar	Azur M250-3	OK	OK	OK	OK	NON	NON	1655	992	35	35	45	
BenQ	Green Triplex PM245P00 (220/225/230/235/235/240/245/250)	NON	OK	NON	OK	NON	NON	1639	983	32	32	40	
BenQ	Green Triplex PM250M00 (250/255/260/265/270)	OK	OK	OK	OK	NON	NON	1651	992	32	32	40	
BenQ	Green Triplex PM250M01 (250/255/260/265/270/275)	NON	OK	NON	OK	NON	NON	1639	983	32	32	40	
BenQ	SunForte PM318B00 (315/318/320/325/327)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
BenQ	SunForte PM318B01 (315/318/320/325/327)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
BenQ	SunForte PM096B00 (320/325/327/330)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Bisol	BMO 239-245-250 Wc	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	PEAK PERFORMANCE : BMU 240-245-250 wc	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	BMU 214-224-227-233-239-245 Wc	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	PEAK PERFORMANCE : BMO 250-255-260 Wc	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	SPECTRUM : BMU 225-230-235	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	PREMIUM : BMU 235-240-245-250-255	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	PREMIUM : BMO 245-250-255-260-265	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	PEAK PERFORMANCE : BMU 245-250-255	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	BMO : 245-250-257	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bisol	BMO : 239-245-250-260-269-270	NON	OK	NON	OK	NON	NON	1649	991	11,5	27	40	
Bosch **	c SI M 60 (EU30117) - 225,230,235,240,245,250,255,260w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c-SI M 60 S (EU30117) - 225,230,235,240,245,250,255,260w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c SI M 60 (EU43117) - 225,230,235,240,245,250,255,260w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c-SI M 60 S (EU43117) - 225,230,235,240,245,250,255,260w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c SI P 60 (EU30123) - 230,235,240w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c SI M 60 (EU42117 / EU42123) - 245,250,255,260w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c SI M 60 (EU44117 / EU44123) - 255,260,265,270w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c SI M 60 S (EU42117 / EU42123)-245,250,255,260w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c SI M 60 S (EU44117 / EU44123)-255,260,265,270w	NON	OK	NON	OK	NON	NON	1660	990	9	30	50	
Bosch **	c-SI M60 + S (EU56117) - 275,280,285 avec barre de renfort	NON	OK	NON	NON	NON	NON	1674	990	22	25	46	oui
Bosch **	c-SI M60 + S (EU56117) - 275,280,286 sans barre de renfort	NON	NON	NON	OK	NON	NON	1674	990	18	25	46	
Build your Dream	BYD P6-30 Serie-3BB 220 à 250w	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
CanadianSolar	CS6P-xxxP et CS6P-xxxM (220/225/230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1638	982	35	35	40	
CanadianSolar	ELPS CS6P-255/260/265MM	NON	OK	NON	OK	NON	NON	1638	982	35	35	40	
CanadianSolar	ELPS CS6P-240/245/250/255PM	NON	OK	NON	OK	NON	NON	1638	982	35	35	40	
CEEG	CSUN245-60M (240,245,250,255,260)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
CEEG	CSUN250-60P (230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
Caymax	Caymax XXX-60M (250/255/260/265/270)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
Caymax	Caymax XXX-60P (230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
Centrosolar	S220M60 (230,235,240,245)	NON	OK	NON	OK	NON	NON	1660	990	26,4	26,4	40	
Centrosolar	S-class Professional S220P60 (225,230,235,240,245,250,255)	NON	OK	NON	OK	NON	NON	1660	990	26,4	26,4	40	
Centrosolar	S-class Vision 60 Black - Polycristallin - SXXXP60 Vision Black ( 240/245/250/255)	NON	OK	NON	OK	NON	NON	1677	990	26,4	26,4	40	
Centrosolar	S-Class Vision 60 Balance - Polycristallin - SXXXP60 Vision balance (240/250)	NON	OK	NON	OK	NON	NON	1677	990	26,4	26,4	40	
Centrosolar	S-Class Vision 60 smart - Polycristallin - SXXXP60 Vision smart (240/245/250/255/260)	NON	OK	NON	OK	NON	NON	1677	990	26,4	26,4	40	
CETC	NES60-6-2xxP (230 à 240W)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Chinaland	CHN 60M (235/240/245/250/255/260/265)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
Clipsol	VO POLY PV240_260 Blanc	NON	OK	NON	OK	NON	NON	1650	990	21	21	42	
CNPV	CNPV-235PB-250PB-Black Beauties	OK	OK	OK	OK	NON	NON	1650	992	40	40	40	
CNPV	CNPV-245MB-260MB-Black Beauties	OK	OK	OK	OK	NON	NON	1650	992	40	40	40	
CNPV	CNPV-235P-250P	OK	OK	OK	OK	NON	NON	1650	992	38	38	40	

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
CNPV	CNPV-245M-260M	OK	OK	OK	OK	NON	NON	1650	992	40	40	40	
CNPV	CNPV-255M (200 à 255) ancienne gamme (46mm)	OK	OK	OK	OK	NON	NON	1650	992	38	38	46	
CNPV	CNPV-240MB (240/245/250) ancienne gamme (46mm)	OK	OK	OK	OK	NON	NON	1650	992	38	38	46	
CNPV	CNPV-245P (190-245) ancienne gamme (46mm)	OK	OK	OK	OK	NON	NON	1650	992	38	38	46	
CNPV	CNPV - 260MB/255MB/250MB	OK	OK	OK	OK	NON	NON	1650	992	35	35	35	
Conergy	PH220P-240P	OK	NON	OK	NON	NON	NON	1652	994	31,5	31,5	45	
Conergy	PHXXP (230/235/240/245/250/255)	OK	NON	OK	NON	NON	NON	1652	994	32	32	40	
Conergy	PM220P-240P	OK	NON	OK	NON	NON	NON	1668	1000	35	35	40	
conergy	PMXXP (230/235/240/245/250/255)	NON	OK	NON	OK	NON	NON	1639	983	32	32	40	
Conergy	P210-230PA	OK	NON	OK	NON	NON	NON	1652	1000	39	39	50	
Conergy	PA XXXP (230/235/240/245/250/255)	OK	NON	OK	NON	NON	NON	1652	1000	40	40	45	
Conergy	210-230P eco pro	NON	OK	NON	OK	NON	NON	1651	986	30	30	46	
Conergy	EcoPro XXXP (230/235/240/245/250/255)	NON	OK	NON	OK	NON	NON	1651	986	30	30	46	
Conergy	Power plus 215-235M et 214-240P	NON	NON	NON	NON	NON	NON	1651	986	41,5	41,5	46	
Conergy	PowerPlus XXXM (245/250/255/260/265)	NON	OK	NON	OK	NON	NON	1651	986	30	30	46	
Conergy	PowerPlus XXXP (230/235/240/245/250/255)	NON	OK	NON	OK	NON	NON	1651	986	30	30	46	
Conergy	PX XXXP (230/235/240/245/250)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Conergy	PJXXXP - (245/250/255)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
CP Solar	CPSxxxM30-156 (240/245)	OK	NON	OK	NON	NON	NON	1652	1000	35	35	50	
CSUN	CSUN245-60P (230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
CSUN	CSUN250-60M (240/245/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
CSUN	CSUN250-60M (240/245/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
CSUN	CSUN250-60P (230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
CSUN	CSUN255-60M (260/265/270)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
CSUN	CSUN260-60P (240/245/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
CSUN	CSUN270-60M (255/260/265/270)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
Daqsolar	DQ240PSCa (200/205/210/220/225/230/235/240)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Data TSP	PV-210W	OK	NON	OK	NON	NON	NON	1661	997	38	38	42	
Delsolar	D6P_A3A-WT 220W - 240 W	NON	OK	NON	OK	NON	NON	1650	990	35	35	42	
Delsolar	D6P_B3A-WS (230,235,240,245, 250)	NON	OK	NON	OK	NON	NON	1650	990	35	35	42	
Delsolar	D6M_B3A-BK 230-250W	NON	OK	NON	OK	NON	NON	1650	990	35	35	50	
DMEGC	DMXXX-P156-60 Series (225/230/235/240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
DMEGC	DMXXX-M156-60 Black Series (220/230/235/240/245/250/255)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Eco Future	PREMIUM SERIES - ECO MODULE MONOCRISTALLINE-ECO-XXXC60 (250/255/260)	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Eco Future	PREMIUM SERIES - ECO MODULE POLYCRISTALLINE -ECO-XXXC60 (240/245/250)	OK	OK	OK	OK	NON	NON	1640	992	35	35	35	
Ecosol	ECSXXXP-60 (235/240/245/250)	OK	OK	OK	OK	NON	NON	1640	992	35	35	35	
ECS	ECS-180/185/190/195/200/205 M	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Eging	EG-(Series) M60-C 235/240/245/250 (anciens cadres)	NON	OK	NON	OK	NON	NON	1650	990	35	35	50	
Eging	EG-(Series) M60-C AR COATED GLASS 245/250/255/260/265 (nouveaux cadres 2013)	NON	OK	NON	OK	NON	NON	1 650	990	35	35	40	
Eging	EG-(Series) P60-C 235/240/245 (anciens cadres)	NON	OK	NON	OK	NON	NON	1 650	990	35	35	50	
Eging	EG-(Series) P60-C AR COATED GLASS 240/245/250/255/260 (nouveaux cadres 2013)	NON	OK	NON	OK	NON	NON	1650	990	35	35	40	
Elifrance	Cellules polycristallines SERIES EL60 - EL60231/EL60236/EL60240/EL60245/EL60250	OK	NON	OK	NON	NON	NON	1655	999	37	37	50	
Elifrance	Cellules polycristallines SERIES EL60 - EL60231/EL60236/EL60240/EL60245/EL60250	OK	NON	OK	NON	NON	NON	1655	999	35	35	35	
Elsingor	ELS 245-250 FB-F	NON	OK	NON	OK	NON	NON	1645	985	35	35	40	
Emmvee	ES-230M60B	NON	NON	NON	NON	NON	NON	1691	1002			50	
Enfinity	235P6	OK	OK	OK	OK	NON	NON	1655	992	35	35	45	
Enfinity	240M6 245M6 et 250M6	OK	OK	OK	OK	NON	NON	1650	992	35	35	50	
Eopply	EOPLY 156P/60 (210-235) Polycrystalline	OK	NON	OK	NON	NON	NON	1644	994	35	35	50	
ET Solar	ET-P660xxx (255/250/245/240/235/230/225)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
ET Solar	ET-P660xxxBB (240/235/230/225)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
ET Solar	ET-M660xxxWW (260/255/250/245/240/235)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
ET Solar	ET-M660xxx (260/255/250/245/240/235) et ET-M660xxxBB (250/245/240/235) et ET-M660xxxTW (250/245/240/235)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Eurener	MEPV - Monocristallin standard et all Black (214/220/225/230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1676	998	27,8	27,8	41	
Eurener	PEPV - Polycristalin standard et all Black (214/220/225/230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1676	998	27,8	27,8	41	
Eurener	PEPV - Polycristalin (231/236/240/245/250)	OK	NON	OK	NON	NON	NON	1655	999	35	35	35	
Evergreen	ES-A 200 205 210 215 wc	NON	NON	NON	NON	NON	NON	1650,5	951,3	40,6	40,6	46	
Exiom	EX-230-250M (156)	OK	OK	OK	OK	NON	NON	1655	992	35	35	45	
Fire Energy	FE-240P Series-230/235/240/245/250	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Fluitechnik	FTS-240M (230-235-240-245-250)	NON	NON	NON	NON	NON	NON	1653	990	40	40	44	
Fluitechnik	FTS-220P (210 à 240w)	NON	NON	NON	NON	NON	NON	1653	990	40	40	44	
Fonroche	FP-VAP-60-220 220/225/230/235/240	NON	OK	NON	OK	NON	NON	1641	989	25,5	25,5	46	
Fortune Solar	WF220P-02B (200-240w)	OK	OK	OK	OK	NON	NON	1650	992	35	35	50	
FVGEnergy	FVGxxxP-MC (225/230/235/240)	NON	OK	NON	OK	NON	NON	1650	990	35	35	35	
FVGEnergy	FVGxxxM-MC (235/240/245/250)	NON	OK	NON	OK	NON	NON	1650	990	35	35	35	
GE SOLAR	GES-6P235 (225 à 245)	OK	OK	OK	OK	NON	NON	1640	992	35	35	42	
GE SOLAR	GES-6M245 (235 à 255)	OK	OK	OK	OK	NON	NON	1640	992	35	35	42	
Gintech	GTE XXXMB6A	NON	NON	NON	NON	NON	NON	1646	991	42	42	40	
Gintech	GTEXXXM63 (240/245/250/255/260/265/270)	OK	NON	OK	NON	NON	NON	1632	995	35	35	40	
Hanwha Solar On	SF220Poly	NON	NON	NON	NON	NON	NON	1652	1000	45	45	45	
Hanwha Solar On	SF220Poly x-tra 225 à 250w	OK	NON	OK	NON	NON	NON	1652	1000	40	40	45	
Hareonsolar	HR-215P-18/Bp-HR-255P-18/Bp	OK	OK	OK	OK	NON	NON	1636	992	35	35	45	
Heliene	HEE215M	NON	OK	NON	OK	NON	NON	1680	990	30	30	40	
Helios	H3A214-235P	NON	OK	NON	OK	NON	NON	1650	990	26	26	38	
Hosun	JHXxxxS60 (235,240,245,250,255w)	OK	OK	OK	OK	NON	NON	1640	992	20	30	40	
Hosun	JHXxxxP60 (230,235,240,245,250w)	OK	OK	OK	OK	NON	NON	1640	992	20	30	40	
Huanghe	HH230(30)P 210 à 250w	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Huanghe	HH 235(30)M 215 à 260w	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Hyundai	HiS-S230SG His-M225MG serie MG	NON	OK	NON	OK	NON	NON	1645	983	30	30	35	
Hyundai	HiS-MxxxMG (black) (230/235/240) et HiS-SxxxMG (black) (240/245/250)	NON	OK	NON	OK	NON	NON	1645	983	30	30	35	
Hyundai	HiS-S230SG HiS-M230SG serie SG	NON	OK	NON	OK	NON	NON	1645	983	30	30	35	
Hyundai	MG SERIES Type Multi- cristalline His-MxxxMG (225/230/235/240) et type Mono crystalline His-SxxxMG (240-245)	NON	OK	NON	OK	NON	NON	1645	983	30	30	35	
Innotech Solar	ITS EcoPlus - Poly (210/220/230/240/250)	NON	OK	NON	OK	NON	NON	1665	991	28	28	43	
Innotech Solar	ITS EcoPlus - Poly et mono (240/250/260)	NON	OK	NON	OK	NON	NON	1665	991	27,5	27,5	35	
Innotech Solar	ITS DesignPlus - Poly (240/250/260)	NON	OK	NON	OK	NON	NON	1665	991	28	28	43	
Innotech Solar	ITS DesignBlack - Poly (240/250/260)	NON	OK	NON	OK	NON	NON	1665	991	28	28	43	
Innotech Solar	ITS DesignBlack - Poly et Mono (240/250/260)	NON	OK	NON	OK	NON	NON	1665	991	27,5	27,5	35	
isofoton	Isf 240/245/250/255	OK	NON	OK	NON	NON	NON	1667	994	28,5	28,5	45	
isofoton	Isf 240/245/250 Black	OK	NON	OK	NON	NON	NON	1667	994	28,5	28,5	45	
JA solar	JAM6 60/200-250	NON	OK	NON	OK	NON	NON	1650	991	30	30	40	
JA solar	JAM6-60-xxx/SI (245/250/255/260/265) (BK)	NON	OK	NON	OK	NON	NON	1650	991	30	30	40	
JA solar	JAP6 60/225-250	NON	OK	NON	OK	NON	NON	1650	991	30	30	40	
JC Solar	mono 240w	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
JCS Solar	JCSMB265M-60 (245W-265W)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
jetion	JT250SCc Series (230/235/240/245/250)	OK	OK	OK	OK	NON	NON	1665	992	35	35	40	
Jiawei	JW-G2250 / 2300 / 2350 / 2400	NON	OK	NON	OK	NON	NON	1650	990	35	35	46	
Jiawei	JW-G2450 / 2500	NON	OK	NON	OK	NON	NON	1650	990	35	35	46	
Jinko	JKM250M-60B 230/235/240/245/250	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Jinko	JKM250P-60 230/235/240/245/250	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	



Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
Jinko	JKM255P-60 Q1 235/240/245/250/255	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Jinko	JKM250M-60 235/235/240/245/250/255	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Jinko	JKMSXXXP-60 235/240/245/250/255	NON	OK	NON	OK	NON	NON	1636	990	20	20	40	
Jinko	JKMSXXXM-60 240/245/250/255/260	NON	OK	NON	OK	NON	NON	1636	990	20	20	40	
Jinko	JKMSXXXP-60 240//245/250/255/260	NON	OK	NON	OK	NON	NON	1636	990	20	20	40	
kdg energy	KDExxxM60-EA-VET avec xxx= 230,235,240,245,250	OK	NON	OK	NON	NON	NON	1662	997	37	37	42	
kdg energy	KDExxxP60-EA-VET avec xxx= 210,215,220,224,230,235w	OK	NON	OK	NON	NON	NON	1662	997	37	37	42	
JSPV	JSPMPXXX-20 (235/240/245/250)	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Kinve	KV250-60M (205/210/215/220/225/230/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
Kinve	KV250-60M (220/225/230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	45	
Kinve	KV250-60M (220/225/230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
kioto	KPV ME EC 245/250 (Standard &Black)	OK	OK	OK	OK	NON	NON	1666	992	18,1	30	40	
kioto	KPV ME EC 250/255/260 (Standard &Black)	OK	OK	OK	OK	NON	NON	1666	992	18,1	30	40	
kioto	KPV ME NEC 250/255/260 (Standard &Black)	OK	OK	OK	OK	NON	NON	1666	992	18,1	30	40	
kioto	KPV ME NEC 245/250 (Standard &Black)	OK	OK	OK	OK	NON	NON	1666	992	18,1	30	40	
kioto	KPV PE NEC 225/230/235	OK	OK	OK	OK	NON	NON	1666	992	10,6	10,6	33	
kioto	KPV PE NEC 235/240	OK	OK	OK	OK	NON	NON	1666	992	18,1	30	40	
kioto	KPV PE NEC 250	OK	OK	OK	OK	NON	NON	1666	992	18,1	30	40	
kioto	KPV ME EC 250	OK	OK	OK	OK	NON	NON	1666	992	10,6	10,6	33	
Korax	KS 245 250	NON	NON	NON	NON	NON	NON	1657	977	28,5	28,5	39,5	
Kyocera	KD 240GH-2PB	NON	NON	NON	NON	NON	NON	1662	990	35	35	46	renfort
Kyocera	KD 235 GH 2PB	NON	NON	NON	NON	NON	NON	1662	990	35	35	46	renfort
Latitude solar	GLA P6-60/6	NON	OK	NON	OK	NON	NON	1651	987	25	25	35	
LCS Solar	P230-JA / P235-JA / P240-JA	NON	OK	NON	OK	NON	NON	1650	990	35	35	40	
LCS Solar	M240-JA/SI // M245-JA/SI //M250-JA/SI //M255-JA/SI	NON	OK	NON	OK	NON	NON	1650	991	30	30	40	
LCS Solar	LCS-M250-SI	NON	OK	NON	OK	NON	NON	1650	991	30	30	40	
LDK Solar	LDK230 D-20 serie et P20 (200 à 250)	OK	NON	OK	NON	NON	NON	1642	994	30	30	40	
LDK Solar	LDK 215P-20 (215 à 250)	OK	NON	OK	NON	NON	NON	1642	994	30	30	40	
LG	LG214 P1C (220 / 225)	OK	NON	OK	NON	NON	NON	1649	993	25	30	42	
LG	LG240M1C-G2 (235/230)	NON	OK	NON	OK	NON	NON	1632	986	25	30	42	
LG	LG240M1W (230/235/240)	OK	NON	OK	NON	NON	NON	1649	993	25	30	42	
LG	LG230P1C-G2 (220/225/230)	NON	OK	NON	OK	NON	NON	1632	986	25	30	42	
LG	LG 260S1C (260/255/250/245)	NON	OK	NON	OK	NON	NON	1632	986	25	30	42	
LG	LG XXXS1C-G3 (260/255/250)	OK	NON	OK	NON	NON	NON	1640	1000	22	28	35	
LG	LGxxxN1C-G3 (280/285)	OK	NON	OK	NON	NON	NON	1640	1000	22	28	35	
LG	LG250S1K	NON	OK	NON	OK	NON	NON	1632	986	25	30	42	
LG	LG250S1K-A3	OK	NON	OK	NON	NON	NON	1640	1000	22	28	35	
LG	LGXXN1C-A3 (285/290/295/300)	OK	NON	OK	NON	NON	NON	1640	1000	22	28	35	
LG	LG MonoX <sup>tm</sup> NeoN - LGXXN1C (280/285/290/295/300)	OK	NON	OK	NON	NON	NON	1640	1000	22	28	35	
Lightway	LW240(29)P1650x990 Series	NON	OK	NON	OK	NON	NON	1650	990	32	32	50	
Lightway	LWXXX(29)P1640x990 Series (235/240/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	32	32	40	
Lightway	LWXXX(29)P1640x990 Series (235/240/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	32	32	50	
Lightway	LWXXX(29) (235/240/245/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	28	28	35	
Linuo power	LN240(30)M-xxx (210-250 par incrément de 5)	OK	OK	OK	OK	NON	NON	1662	992	35	35	42	
Linuo power	LN240(30)P-3-xxx (230-250W poly)	NON	OK	NON	OK	NON	NON	1634	982	35	35	42	
Luxor	eco line 60 LX230P (220P/225P/230P)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Luxor	eco line 60 LXxxxM (245M/250M/255M/260M)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Luxor	eco line 60 LX-xxxP (230/235/240/245/250)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Luxor	eco line 60 LX-xxxP (230/235/240)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Mage Solar	Powertec plus 220 6 PJ	OK	OK	OK	OK	NON	NON	1655	992	35	35	45	
Mage Solar	Powertec plus 220 6 PH	OK	OK	OK	OK	NON	NON	1636	992	35	35	45	

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
Mage Solar	Powertec plus 220 6 PO	NON	NON	NON	NON	NON	NON	1650	991	40	50	46	
Martifer	MTS 230P	NON	OK	NON	OK	NON	NON	1639	982	25,4	25,4	35	
Martifer	MTS 214P	NON	OK	NON	OK	NON	NON	1639	982	25,4	25,4	35	
Medsolar	MD P60 PX (230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1664	997	37	37	42	
Megasol	Hochleistungs-Solarmodule M250-M270	OK	OK	OK	OK	NON	NON	1640	992	36	36	50	
Mitsubishi	PV-TG2XXGA6 et TJ	NON	NON	NON	NON	NON	NON	1658	994	30	32	46	renfort
Mitsubishi	PV-MLT 250HC	NON	NON	NON	NON	NON	NON	1625	1019	30	30	46	renfort
Mitsubishi	PV-MLU series - MLUXXXHC (250/255)	NON	NON	NON	NON	NON	NON	1625	1019	30	30	46	renfort
Moserbaer	MBPV CAAP 210 à 240w	NON	OK	NON	OK	NON	NON	1661	991	35	35	40	
Mprime	Mprime 215-240	NON	OK	NON	OK	NON	NON	1639	982	25,4	25,4	35	
Mprime	Mprime 210-240 W	NON	OK	NON	OK	NON	NON	1639	982	25,4	25,4	35,3	
NESL	DJ240D DJ250D	NON	OK	NON	OK	NON	NON	1650	990	35	35	40	
Pairan	EGM-225	NON	OK	NON	OK	NON	NON	1650	990	35	35	50	
Pairan	TWY 2xxP60 (230-235-240-245)	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Panasonic	HIT H250 / H245	NON	NON	NON	NON	NON	NON	1610	861	12	24	35	
Perlight	PLM-XXXM-60 SERIES + (235/240/245/250)	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Phono Solar	DIAMOND Series 235-265 (poly)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Phono Solar	ONYX Series 235-265 black (poly)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Phono Solar	DIAMOND Series 235-270 (mono)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Phono Solar	ONYX Series 235-270 black (mono)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Phono Solar	AC Series 240-250 (poly)	NON	NON	OK	OK	NON	NON	1640	992	35	35	45	
Phonosolar	U series Mono PS220M-20/U HEC+ (220 à 260W)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Phonosolar	U series Poly PS220P-20/U HEC+ (220 à 260w)	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Photowatt	PW2350 (220/225/230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1638	982	35	35	40	
Photowatt	PW2500 (230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1638	982	35	35	40	
Photowatt	PW2500F (240/245/250/255/260/265)	OK	NON	OK	NON	NON	NON	1685	993	25	25	40	
Photowatt	PW2350F (220/225/230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1685	993	25	25	40	
Qcells	Q base 215-230	OK	NON	OK	NON	NON	NON	1670	1000	40	40	50	
Qcells	Q pro 225-240	OK	NON	OK	NON	NON	NON	1670	1000	40	40	50	
Qcells	Q peak	OK	NON	OK	NON	NON	NON	1670	1000	40	40	50	
Qcells	Q peak blk	OK	NON	OK	NON	NON	NON	1670	1000	40	40	50	
Qcells	Q base G2 230-245	OK	NON	OK	NON	NON	NON	1670	1000	40	40	50	
Qcells	Q pro G2 230-250	OK	NON	OK	NON	NON	NON	1670	1000	40	40	50	
Qcells	Q.PEAK-G2 (250/255/260/265)	OK	NON	OK	NON	NON	NON	1670	1000	30	30	50	
Qcells	Q.PEAK (245/250/255/260/265)	OK	NON	OK	NON	NON	NON	1670	1000	30	30	50	
Qcells	Q.PRO-G2 (240/245/250/255)	OK	NON	OK	NON	NON	NON	1670	1000	30	30	50	
Qcells	Q.PRO-G3 (240/245/250/255)	OK	NON	OK	NON	NON	NON	1670	1000	30	30	35	
Qcells	Q.PEAK BLK-G3 (245/250/255/260)	OK	NON	OK	NON	NON	NON	1670	1000	30	30	35	
Qcells	Q.PEAK-G3 (250/255/260/265)	OK	NON	OK	NON	NON	NON	1670	1000	30	30	35	
QXPV	Model (SL230-250TU-30P)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
REC	REC 215 PE (215/220/225/230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1665	991	28	28	38	
Redsun	RS-630-210 (220-230)	OK	NON	OK	NON	NON	NON	1635	993	35	35	40	
Reusola	JC220M-24/Bb (220/230/240/250) Virtus module	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Rew solar	Rew classic UP 60 POLY RCXXXUM60 (225/230/235/240)	NON	NON	NON	NON	NON	NON	1637	997	50	50	46	
Rew solar	Rew classic UP 60 MONO RCXXXUM60 (230/235/240/245/250)	NON	NON	NON	NON	NON	NON	1637	997	50	50	46	
Rew solar	Rew Classic QM 60 FULL BLACK XXX QM60 (225/230/235/240)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	
Risen	210-250 mono	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Risen	SYP250P	OK	OK	OK	OK	NON	NON	1640	992	35	35	45	
Risen	SYPXXXS (200/210/215/220/225/230/235/240/245/250)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Romag	RSM 6(60) (235-255W)	NON	OK	NON	OK	NON	NON	1630	986	20	20	35	
Rupa	RU 250 PLM-60	OK	OK	OK	OK	NON	NON	1650	992	35	35	46	

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Stength bar
Saint Gobain	SG solar SKA 240M60-WN 40 (240/245/250)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Sainty Solar	GES-6MXXX (240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Samsung	LPC241SM-06S (241/244/247/250)	NON	OK	NON	OK	NON	NON	1630	982	28	28	46	
Samsung	PV-MBA1BGXXX (247,250,255)	OK	OK	OK	OK	NON	NON	1644	992	28	32	46	
Sanyo	HIP-230HDE1 et HIP-225HDE1 et HIP-220HDE1	NON	NON	NON	NON	NON	NON	1610	861	12	24	35	
Sanyo	HIT-H250E01 et HIT-H245E01	NON	NON	NON	NON	NON	NON	1610	861	12	24	35	
Scheuten	P6-60 (235-2345W) industrila Line i30	NON	NON	NON	OK	NON	NON	1650	991	30	30	40	
Schott	Schott PERFORM POLY 235/240/245/250	NON	OK	NON	OK	NON	NON	1652	990	16,4	16,4	35	
Schott	Schott Mono 180/185/190	NON	NON	NON	NON	NON	NON	1620	810	26	1	50	
Schott	165-180 et EFG155/160/165	NON	NON	NON	NON	NON	NON	1620	810	26	26	50	
Schott	Schott Poly 220-235	OK	NON	OK	NON	NON	NON	1685	993	26	26	50	
Schott	Schott Poly 210/217/220/225/230	OK	NON	OK	NON	NON	NON	1685	993	26	26	50	
Schott	Schott PERFORM MONO 255/260/265/270	NON	OK	NON	OK	NON	NON	1652	990	16,4	16,4	35	
Schott	Schott PERFORM MONO 180/185/190/195	NON	NON	NON	NON	NON	NON	1620	810	26	26	50	
Senersun	SSM60C 235 245	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
Senersun	SSP60C 225-245 Wp	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
Senersun	SSM60C 230-255 et 235-245 Wp	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
Seraphim	SRP-xxx-6PB (235/240/245/250)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
SHARP	ND 220E1F, ND 210E1F, ND F230A1, NU E235E1	NON	NON	NON	NON	NON	NON	1652	994	48	40	46	renfort
SHARP *	ND 220E1J, ND 210E1J, ND E230A2	OK	NON	NON	NON	NON	NON	1652	994	35	30	46	renfort
SHARP *	NU-E245 (J5), NU-E240 (J5), NU-E235 (E2)	OK	NON	NON	NON	NON	NON	1652	994	35	30	46	renfort
SHARP *	NU-R250J5 (250,245,240)	OK	NON	NON	NON	NON	NON	1652	994	35	30	46	renfort
SHARP *	ND-R250A5 (250/245/240/235/230/225/220)	OK	NON	NON	NON	NON	NON	1652	994	35	30	46	renfort
Shinetime solar	XTM6-60	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Shunda	SDM-230X-60M	OK	NON	OK	NON	NON	NON	1640	997	35	35	46	
SI module	SI-Power M240 (245/250/255/260)	OK	NON	OK	NON	NON	NON	1667	1000	40	40	42	
SI module	SI-HighAlpine	OK	NON	NON	NON	NON	NON	1667	1000	40	40	42	renfort
Siliken	SLK60M6L (noir ou gris)	NON	OK	NON	OK	NON	NON	1640	990	29	29	40	
Siliken	SLK60P6L (noir ou gris)	NON	OK	NON	OK	NON	NON	1640	990	29	29	40	
Siliken	SLK50P6L	NON	NON	NON	NON	NON	NON	1640	830	29	29	40	
Sillia	60M235 (235/240/245/250)	OK	NON	OK	NON	NON	NON	1665	1001	37	37	42	
Sillia	60P230 (235/240/245)	OK	NON	OK	NON	NON	NON	1665	1001	37	37	42	
Sillia	Set2xxG (230 à 245)	OK	NON	OK	NON	NON	NON	1665	1001	37	37	42	
Simax	156 SP660 - XXX (230/235/240/245/250)	NON	NON	NON	NON	NON	NON	1640	992	50	50	40	
Simax	156 SP660 - XXX (230/235/240/245/250)	NON	NON	NON	NON	NON	NON	1640	992	50	50	45	
Simax	156 SP660 - XXX (230/235/240/245/250)	NON	NON	NON	NON	NON	NON	1640	992	50	50	50	
Sinodeu	ZDxxx-20P (205/210/215/220/225/230)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
SNA	SNA-PVSTD LUXE MONO (230/240/250)	OK	OK	OK	OK	NON	NON	1640	992	37	37	42	
SNA	SNA-PVSTD MONO (230/240/250)	OK	OK	OK	OK	NON	NON	1640	992	37	37	42	
SNA	SNA-PVSTD POLY (230/240)	OK	OK	OK	OK	NON	NON	1640	992	37	37	42	
Solarezo	RS230-250M60	OK	OK	OK	OK	NON	NON	1640	992	27,5	27,5	45	
Solarezo	RS220-250P60	OK	OK	OK	OK	NON	NON	1640	992	27,5	27,5	45	
SolarFabrik	Premium L Mono : 225/230/235/245/245 w	OK	NON	OK	NON	NON	NON	1667	998	30	30	50	
SolarFabrik	Premium L Mono black : 245,250,255w	OK	NON	OK	NON	NON	NON	1667	998	30	30	50	
SolarFabrik	Premium L Poly : 200/210/220/225/230/235)	OK	NON	OK	NON	NON	NON	1667	998	30	30	50	
Solarfabrik	Pro L2 : 230, 235, 240	OK	OK	OK	OK	NON	NON	1636	992	35	35	45	
Solarfabrik	Pro L3 : 250,255	NON	OK	NON	OK	NON	NON	1650	991	30	30	40	
Solarfabrik	Premium L Mono : 250, 255,260, 265w Next Generation	OK	NON	OK	NON	NON	NON	1667	998	13,85	13,85	35	
Solarfabrik	Premium L Mono black : 245,250,255w Next Generation	OK	NON	OK	NON	NON	NON	1667	998	13,85	13,85	35	
Solarfabrik	Premium L Poly : 230,235,240w Next Generation	OK	NON	OK	NON	NON	NON	1667	998	13,85	13,85	35	
solarfennel	PWP-XXXW/P6Y-XXX (230/235/240)	OK	OK	OK	OK	NON	NON	1640	992	35	35	46	

Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
Solar Futur Energ	SFE.PF-6-250	NON	OK	NON	OK	NON	NON	1636	990	32	32	35	
Solaria	S6M-2G230 (230 à 250)	NON	OK	NON	OK	NON	NON	1646	991	30	30	38	
Solaria	S6P-2G220 (220 à 240)	NON	OK	NON	OK	NON	NON	1646	991	30	30	38	
Solarwatt	Solarwatt Blue 60P (230/235/240/245/250/255)	NON	OK	NON	OK	NON	NON	1680	990	30	30	40	
Solarwatt	Solarwatt M220-60 GET AK	NON	OK	NON	OK	NON	NON	1680	990	30	30	50	
SolarWorld	Sunmodule plus SW 245 mono	OK	NON	OK	NON	NON	NON	1675	1001	29	29	34	
SolarWorld	Sunmodule plus SW (200/205/210/215/220/225) poly	OK	NON	OK	NON	NON	NON	1675	1001	29	29	34	
SolarWorld	Sunmodule plus SW 250 poly (225 à 250) Version 2.0	OK	NON	OK	NON	NON	NON	1675	1001	15,3	15,3	31	
SolarWorld	Sunmodule plus SW 250 mono (230 à 250) Version 2.0	OK	NON	OK	NON	NON	NON	1675	1001	15,3	15,3	31	
SolarWorld	Sunmodule plus SW 250 Blackmono (230 à 250) Version 2.0	OK	NON	OK	NON	NON	NON	1675	1001	15,3	15,3	31	
Soleos	250-2MS	NON	OK	NON	OK	NON	NON	1660	990	27	27	50	
Soleos	250P-EU	OK	NON	OK	NON	NON	NON	1676	998	27,8	27,8	41	
Solet	Solet 60,6 - 225/245 Solar Photovoltaic Module	OK	NON	OK	NON	NON	NON	1662	997	37	37	42	
Solon	SOLON BLUE 220/03	OK	NON	OK	NON	NON	NON	1640	1000	37	37	42	
Solon	SOLON 230/02	OK	NON	OK	NON	NON	NON	1640	1000	37	37	42	
Solon	SOLON Black 230/07 (240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1640	1000	37	37	42	
Solon	SOLON Blue 230/07 (225/230/235/240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1640	1000	37	37	42	
Solon	SOLON Black 220/16 (225/230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1640	1000	30	30	34	
Solon	SOLON Blue 220/16 (225/230/235/240/245/250)	OK	NON	OK	NON	NON	NON	1640	1000	30	30	34	
Solsonica	Silver Plus S610SPP (235/240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1663	998	25	25	35	
Solsonica	Silver Plus S610SPP (235/240/245/250/255/260)	OK	NON	OK	NON	NON	NON	1663	998	15	15	35	
Solsonica	Silver Plus Mono - S610SPM (255/260/265)	OK	NON	OK	NON	NON	NON	1663	998	25	25	35	
Solsonica	Silver Plus Mono - S610SPM (255/260/265)	OK	NON	OK	NON	NON	NON	1663	998	15	15	35	
Soluxtec	PowerSlate Mono Dark Serie (245/250/255/260)	NON	OK	NON	OK	NON	NON	1645	985	35	35	40	
Soluxtec	PowerSlate Multi Dark Serie (235/240)	NON	OK	NON	OK	NON	NON	1645	985	35	35	40	
Sopray	SR156P-200 (200 à 240W)	OK	OK	OK	OK	NON	NON	1650	992	35	35	50	
Sunerg	XP60/156 serie IPLUS (225/230/235/240/245/250)	NON	NON	NON	OK	NON	NON	1645	990	27	27	46	
Sunpower	E19 238	NON	NON	NON	NON	NON	NON	1559	798	22	32	46	
Sunpower	E18 / 225 (SPR-225E-BLK-D)	NON	NON	NON	NON	NON	NON	1559	798	32	32	46	
Sunpower	Solaire 210N	NON	NON	NON	NON	NON	NON	1559	798	22	32	46	
Sunpower	SPR-245NE-WHT-D, SPR-240NE-WHT-D	NON	NON	NON	NON	NON	NON	1559	798	32	32	46	
Sunpower	SPR-XXXNE-WHT/BLK-D (310/315/320/327/333)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Sunpower	SPR-XXE-WHT/BLK-D (310/315/320/327/333)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Sunpower	SPR-E19/E20-xxx(-BLK) (310/315/320/327/333)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Sunpower	SPR-E19/E20-xxx-COM (310/315/320/327/333)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Sunpower	SPR-X20/X21-xxx (-BLK) (327/335/345)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Sunpower	SPR-X20/X21-xxx-COM (327/335/345)	NON	NON	NON	NON	OK	NON	1559	1046	22	32	46	
Sunrise	SR-M660xxx 225/230/235/240/245/250/255/260	OK	OK	OK	OK	NON	NON	1637	992	35	35	50	
Sunrise	SR-M660xxx-B 225 à 260W	OK	OK	OK	OK	NON	NON	1637	992	35	35	40	
Sunrise	SR-P660xxx 215/220/225/230/235/240/245	OK	OK	OK	OK	NON	NON	1637	992	35	35	40	
Sunset	Série AS (200/210/220/230/240/250-60 (Edition 02)	OK	NON	OK	NON	NON	NON	1657	997	20	20	47	
Suntech	STP245S-20/wd (245 et 250w)	NON	OK	NON	OK	NON	NON	1665	991	35	35	50	
Suntech	STP250S-20/Wd 245 et 250	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
Suntech	STP250S-20/Wd 255 et 260	OK	OK	OK	OK	NON	NON	1640	992	35	35	35	
Suntech	STP255 - 20/wd (250 et 245)	OK	OK	OK	OK	NON	NON	1640	992	35	35	35	
Suntech	Pluto 245, 250, 255 - Wdm	OK	OK	OK	OK	NON	NON	1640	992	35	35	35	
Suntech	Pluto 235,240,245 - Wdm	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
Suntellite	ZDNY-240C60 (240,245,250)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	
Suntellite	ECO MODULE MONOCRYSTALLINE - ECO-XXXC60 (240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Sunways	SM 240U polycristallin (SM230UD2A/SM235UD2A/SM245UD2A/250UD2A)	OK	NON	OK	NON	NON	NON	1642	994	30	30	40	
Talesun	TP660M (230/235/240/245/250/255/260)	NON	OK	NON	OK	NON	NON	1640	990	35	35	40	



Brand	Reference	Format L-1 portrait normale clamps	Format L-1 portrait Large clamps	Format M-1 landscape Standard clamps	Format M-1 landscape Large clamps	Format O-1 portrait normale clamps	Format O-1 portrait Large clamps	Length	Width	Back profile width side	Back profile length side	Height	Strength bar
Tenesol	TE-220-240-60P+ (ancien cadre)	NON	OK	NON	OK	NON	NON	1660	990	31	31	50	
Tenesol	TE-220-240-60P+ (nouveau cadre)	NON	OK	NON	OK	NON	NON	1660	990	16	16	50	
Tenesol	TE235-250-60M+ All Black (ancien cadre)	NON	OK	NON	OK	NON	NON	1660	990	31	31	50	
Tenesol	TE235-250-60M+ All Black (nouveau cadre)	NON	OK	NON	OK	NON	NON	1660	990	16	16	50	
Tenesol	TE240-250-60M+ (ancien cadre)	NON	OK	NON	OK	NON	NON	1660	990	31	31	50	
Tenesol	TE240-250-60M+ (nouveau cadre)	NON	OK	NON	OK	NON	NON	1660	990	16	16	50	
Tenesol	TE255-265M+ (ancien cadre)	NON	OK	NON	OK	NON	NON	1660	990	31	31	50	
Tenesol	TE255-265M+ (nouveau cadre)	NON	OK	NON	OK	NON	NON	1660	990	16	16	50	
Tenesol	TE 2200	NON	OK	NON	OK	NON	NON	1660	990	15	16	50	
Tenesol	FRAME AFSUD 2012	NON	OK	NON	OK	NON	NON	1660	990	15	16	40	
Trina Solar	TSM-PC05 et TSM-PC05.08	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
Trina Solar	TSM-PC05A "Honey" (245/250/255/260)	OK	OK	OK	OK	NON	NON	1650	992	35	35	40	
UE Solar	ZHM230P (200-250)	NON	OK	NON	OK	NON	NON	1640	990	35	35	50	
Ulicasolar	Ulica UL-250M-60	OK	NON	OK	NON	NON	NON	1637	997	35	35	46	
Union solar	US225P-60 (230/235/240)	OK	OK	OK	OK	NON	NON	1640	992	35	35	50	
Universal Energy	UE-M250hr (230/235/240/245/250)	NON	OK	NON	OK	NON	NON	1658	990	28,5	28,5	40	
Up solar	UP-M210P (210/220/230/240)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Up solar	UP-M230M (210/220/230/235/240/245/250/255)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Up solar	UP-MXXXM (240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Up solar	UP-MXXXP (240/245/250/255/260)	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Vissmann	VITOVOLT 200 - Typ P240JB, P245JB, P250JB	OK	OK	OK	OK	NON	NON	1640	992	35	35	40	
Voltea	PSPXXXP(240/245/250) - PSPXXX(250/255/260/265) - XXXM2 ( 250/255/260/265/270)	NON	OK	NON	OK	NON	NON	1648	988	10,1	26,4	40,6	
Voltec	VSPS classic 240/245/250/255	OK	NON	OK	NON	NON	NON	1665	1001	37	37	42	
Voltec	VSMS Classic 250/255/260/265	OK	NON	OK	NON	NON	NON	1665	1001	37	37	42	
Voltec	TARKA Light	OK	NON	OK	NON	NON	NON	1665	1001	21,9	21,9	42	
Webel solar	W2300	OK	OK	OK	OK	NON	NON	1645	992	30	30	42	
winaico	WSP-260M6	NON	NON	NON	NON	NON	NON	1665	999	50	50	45	
winaico	WSP-xxxM6 (240/245/250/255/260/265)	NON	NON	NON	NON	NON	NON	1665	999	50	50	40	
winaico	WSP-xxxP6 (230/235/240/245/250/255)	NON	NON	NON	NON	NON	NON	1665	999	50	50	40	
winaico	WST-xxxP6 (235/240/245/250)	OK	NON	OK	NON	NON	NON	1665	999	30	30	35	
X group	XG60P (215/220/225/230/235)	NON	NON	NON	NON	NON	NON	1650	980	35	35	40	
Yingli Solar	YL 235P-29b-PC (235p-29b-PC)	NON	OK	NON	OK	NON	NON	1650	990	32	32	40	
Yingli Solar	Panda 265	NON	OK	NON	OK	NON	NON	1650	990	32	32	40	
Yingli Solar	YL245C-30b (250/255/260) série 260	NON	OK	NON	OK	NON	NON	1650	990	32	32	40	
Yingli Solar	Panda - YLXXC-30b (260/265/270)	OK	OK	OK	OK	NON	NON	1650	992	32	32	40	
Yingli Solar	YLXXXP-29b/2-1 (210/215/220/225/230/235)	NON	NON	NON	NON	NON	NON	1650	1030	32	32	50	
Znshine solar	ZXxxxW(30)P (220/225/230/235/240/245)	OK	OK	OK	OK	NON	NON	1650	992	30	30	40	
Znshine solar	ZXxxxW(30)P (220/225/230/235/240/245)	OK	OK	OK	OK	NON	NON	1650	992	35	35	45	